

ADVERSE EVENT OUTCOME REPORT

Report Period _____

Increase in Number of Pressure Ulcers

*Definition: The patient had a greater number of pressure ulcers at discharge than he or she had at SOC/ROC.
 OASIS M0 triggers: M0450 (SOC/ROC and DC)*

Pt. Name _____ SOC date _____ DC date _____ MR# _____

Age _____ Sex _____ Case Manager _____

Review Date _____ Reviewer _____

QUESTIONS	YES	NO	IE	COMMENTS
1. Did the patient have pressure ulcer(s) on admission to home care?				
2. Did the patient have an increased number of pressure ulcers at discharge?				
<i>If the documentation does not support the definition of the above adverse outcome, stop the audit at this point and investigate how the OASIS errors occurred and re-train staff as needed.</i>				
3. Was there a nutritional risk assessment performed at SOC?				
4. If nutritional risk was moderate or high, what intervention was initiated?				
5. Was pressure ulcer staged consistently throughout care of pt?				
6. Was it staged correctly?				
7. Were the pressure ulcers assessed each visit and measured weekly?				
8. Did the patient acquire an infection?				
9. Was the patient on antibiotics?				
10. Did the patient have circulatory problems (venous or arterial)?				

11. Was the patient on steroid therapy?				
12. Did the patient's physical status decline?				
<i>IE = Insufficient evidence documented to make decision/not documented</i>				

ADVERSE EVENT OUTCOME REPORT-Increase in Number of Pressure Ulcers

QUESTION	YES	NO	IE	COMMENTS
13. Was the patient end stage, dying or terminal?				
14. Was the patient incontinent?				
15. If so, how was incontinence managed?				
16. Did the patient have a disease process that contributed to pressure ulcer development?				
17. Was the patient cognitively limited or have periods of confusion?				
18. Did the patient require the assistance of a caregiver?				
19. If so, was the caregiver able to turn and reposition the patient?				
20. Was the patient being turned and repositioned on a regular time schedule?				
21. Was mobility/activity limited?				
22. If bedbound, did the patient have a specialty bed or mattress?				
23. Was environment conducive to wound care?				
24. Was PT/OT involved in the case?				
Conclusions				
Based on the documentation, could this adverse outcome have been prevented?			YES	NO
UNSURE				
If yes, what may have been done to prevent the adverse outcome:				
If no, explain:				
If uncertain, explain:				

