PROUDLY SPONSORED BY



2025 CRITERIA THE OUTSTANDING BUILDING OF THE YEAR (TOBY) AWARDS





MIXED-USE CATEGORY PUBLIC ASSEMBLY

PROGRAM, CATEGORY, AND COMPETITION INFORMATION

STARTING THE PROCESS

Now it's even easier to ensure your building achieves the ultimate success. Effective 2023, the TOBY Awards are only given to properties carrying a BOMA 360 distinction (starting at the Regional level) — the most comprehensive and holistic evaluation of operational and management practices. Now you have two opportunities to highlight overall excellence for community impact, emergency preparedness, sustainability, health and wellness, and additional performance metrics for both commercial and industrial buildings.

Before entering the TOBY competition, applying for the BOMA 360 designation serves as the first step in ensuring your building has achieved the minimum level of operational best practices. A new universal recognition platform has been created to simplify the process to help shape high-performance buildings by providing an opportunity to educate property management professionals, reinforce team-building relationships, and increase asset value and tenant retention on a global basis.

The BOMA 360 and TOBY applications have been consolidated into BOMA International's new 360/TOBY portal where applicants will have access to both applications all in one place. Applicants will have an opportunity to see areas where they can improve before entering the TOBY competition and have a stronger application.

Achieve the Recognition Your Building Deserves



CATEGORY DESCRIPTIONS – MIXED-USE & PUBLIC ASSEMBLY

MIXED USE

All properties will have minimum of 10% Office in a planned integration of at least three components that are a mix of Retail, Entertainment, Residential, Hotel, Recreation or Other Functions. Other function examples are areas available to tenants and the public alike such as event or venue space (wedding, school dance, market space). Other functional space can also be considered a conference

center that is available to tenants and public for meetings including outdoor areas available to the public and tenants such as a basketball court, pickleball court, volleyball court or similar.

Each component will be at a minimum of 10% of the total property. The property can be one or more buildings managed by the same company. It is pedestrian-oriented and contains elements of a live-work-play environment. It maximizes space usage, has amenities and architectural features that tends to mitigate traffic and sprawl.

PUBLIC ASSEMBLY

All buildings must be publicly accessible and support multiple uses (entertainment, events/gatherings, etc). The multiple use character of these buildings may influence the building's utility use, opening hours and tenant or occupant relations. These buildings may be part of a larger portfolio. This category includes stand-alone arenas, amphitheaters, auditoriums, art galleries, churches, hotels, convention centers, exhibit halls, courthouses, stadiums, university building(s), libraries, event/meeting space, and other buildings that are publicly accessible. This category allows for entry restrictions based on ticketed or multi-tenant/occupant areas. Other examples of Public Assembly areas might be courthouses or education facilities which can at times share a building or campus with other non-public tenant entities.


When a building fits a different TOBY category, it should be entered in that category.

ELIGIBILITY REQUIREMENTS

Below outlines the requirements for TOBY participation:

- 1. All buildings competing at the regional level must be BOMA 360-designated.
- 2. The building must win at the local level to advance to the regional level and must win at the regional level to advance to International.
- 3. All portfolios must have undergone a building inspection and scored at least 70% to be eligible to compete. Each entrant must upload the completed and signed TOBY Building Inspection Verification form to be eligible to compete at the Regional and International level (this form is provided by your local BOMA association or International Affiliate organization).
- 4. The building must be a member, or managed by an entity that is a member, in good standing with both their BOMA local association and BOMA International in order to compete at the local, regional and international levels. Specifically, all membership fees, and any other debt, must be paid prior to entry.
- 1. The building may not have won in the same category at the international level during the last 5 years (i.e. Buildings that win in 2025 are not eligible to compete until 2030 and awarded in 2031). The building may not have won in a different category at the international level during the last 3 years (i.e. Buildings that win in 2025 are not eligible to compete until 2028 and awarded in 2029).
- 5. The building must be actively leased and occupied for at least one full year from the date of the active leased first day of business of the first tenant by June 15, 2024 with a minimum of 12 months of building operations.
- 6. Buildings submitted in the Mixed-Use category must have at least 10% office space of total square footage of entire complex.
- 7. All mixed-use buildings and public assembly buildings must be at least 50% percent average annual occupancy (physical occupancy, including physical activities and events).

- 8. Each building may enter in only one category.
- 9. U.S. Entrants with Mixed-Use buildings and Public Assembly buildings are required to be benchmarked in ENERGY STAR®'s Portfolio Manager.
- 10. All entrants are required to provide the following:



Any entry that does not include both a and b will not be eligible to compete at the International level.

- It is no longer a requirement to share your EnergyStar data with BOMA International, but you do need to have your Statement of Energy Performance signed and stamped by an engineer to receive points if the score is greater than 75, otherwise your entry will receive the baseline score of 3.
- 11. An entrant may choose to enter multiple buildings as a single entry only if the buildings are owned by the same company, managed by the same company and the buildings are managed as a single entity and not within a suburban office park. All entries must disclose whether their entry is a single building or multiple buildings under the Buildings Standards section.

12. For any building that enters the competition at the local and regional level that may encounter a change in management and/or ownership and wins at the International level, the award will be presented to the management company/owner at the time of the original entry.

Additional Requirements for Non-U.S. Entries:

- **Canadian Entrants** are required to obtain a BOMA BEST® Sustainable Buildings certification. Each entrant must provide a copy of the certificate or letter from BOMA Canada attesting certification is valid in the competition year.
- **Other International Entrants** should contact BOMA International regarding any questions on energy performance benchmarking requirements.

MANDATORY ON-SITE BUILDING INSPECTION

In-person building inspections must take place at the local level of competition to ensure the entry meets the eligibility requirements and is registered in the correct category. A minimum score of 70% must be earned to be eligible to compete for a TOBY.

The following mandatory items must be inspected during the building inspection:

- 1. Entrance/Mail Lobby
- 2. Security/Life Safety
- 3. Management Office
- 4. Elevators
- 5. Common Corridors
- 6. Restrooms
- 7. Stairwells
- Typical Tenant Suite (if applicable to building category)
- 9. Central Plant/Engineering Office
- 10. Equipment Rooms/Service Areas
- 11. Roof
- 12. Parking Facilities (only if Owner/Agent Controlled)
- 13. Landscaping/Grounds
- 14. Trash/Refuse Removal and Loading Docks
- 15. Tenant Amenities
- 16: Public Assembly Area (Stages, Gallerias, Lecture Rooms, Amphitheaters, etc.)

The following documentation is mandatory where applicable and should be made available. Online versions are acceptable but must be available at time of inspection at the property being inspected. Ease of navigation is essential to ensure that judges can easily and readily review:

- 1. Evidence of Evacuation Drills conducted within the past 12 months. NOTE: Drills can be silent if applicable.
- 2. Preventative Maintenance Manual
- 3. Standard Operating Procedure (SOP) Manual/Documentation of Standard Operating Procedures
- 4. Purchase Policies
- 5. Document use of BOMA Floor Measurement Standard.

Entrants should receive TOBY Building Inspection Verification form by their local BOMA or affiliated International affiliate organization. Any entry without an Inspection Verification form with their Regional submission will be disqualified.

ENTRY FEES

TOBY Local Entry Fees

A local competition fee may be applicable. Each Entrant should check with their local association concerning fees.

BOMA 360 Performance Building Program Fee

BOMA 360 designation is required at the Regional and International levels of the TOBY Awards competition and must be valid through June of the year in which they are competing (06/30/24 for 2024).

Initial application and renewal of BOMA 360 is **\$995.00** for members and must be renewed every three years.

Regional and International TOBY Entry Fees

A total of \$450 USD in entry fees will be paid to BOMA International for each submission entering the TOBY regional competition. These fees will be collected once the entry has been completed and the "Submit" button has been pressed. No additional fees are collected for the International competition.

NOTE: All entries must be submitted, and fees received prior to your region's submission deadline to compete. Fees are non-refundable. Regional deadlines will be posted on <u>https://recognition.boma.org</u>.

JUDGING / DATA / DEADLINES

- 1. Judging will occur at local, regional, and international levels.
- 2. Fees are non-refundable, due at time of entry. Entry is automatically disqualified for noncompliance.
- 3. Each BOMA local association may submit one building in each category to the regional competition.
- 4. Each BOMA region may submit one building in each category to the International competition.
- 5. Each regional competition must close no later than March 31st.
- 6. Each region must submit their regional winners to BOMA International by April 15th.
- 7. Judging at the International level will take place in April and May and the TOBY Awards will be presented during the BOMA International Conference held in June or July.
- 8. Updated Entry Requirements for subsequent submissions will be presented during or prior to the BOMA International Conference.
- 9. BOMA International's 360/TOBY Portal at https://recognition.boma.org will begin accepting entries for each new season approximately one month after the close of the BOMA International Conference. To be eligible to compete in TOBY, you must have the BOMA 360 designation by January 15 of each year, and BOMA 360 must be active through June 30 of the year you are competing.

UNIVERSAL PORTFOLIO REQUIREMENTS

Photograph Requirements

- File Type: Hi-Resolution JPEG compressed
- Maximum File Size: 2 MB
- Do not use photograph collages (Only single images)

Supporting Document Requirements

- File Type: PDF, DOC, DOCX, RTF, TXT
- Maximum File Size: 5 MB

Descriptive/Summary Text Requirements

• Maximum word count is specified for each section

NOTE:

- Descriptive/summary text must be entered in the text box provided and may not be submitted as an uploaded file.
- Identify what an acronym represents at least once in each document.
- Text within required supporting documents does not count against character limits.

RECOMMENDATION

Text should be created in Word, or another similar program, and then copied and pasted into the text box. Please spell check prior to pasting it into the text box. Also, confirm that the copied text can be fully viewed online. If not, reduce the characters to fit the requirements.

PORTFOLIO SPECIFICATIONS

The following information must be provided electronically using BOMA International's 360/TOBY Portal at https://recognition.boma.org to be considered for both the regional and International competitions. Strict adherence to the portfolio specifications listed herein is **required**.

Local entries must check with your BOMA local association for local submission requirements.

NOTE: Each section is limited to a specified number of words. All entrants are encouraged to save and review their entries before submitting to ensure that all text/content is captured in the entry.

SUBMISSION REQUIREMENTS	
SECTION	POINTS
SECTION 0: BUILDING INFORMATION	0
Building Details:	
Enter the following information in the portal section: Number of floors in the building BOMA Certified Total Building Area Square Footage BOMA Certified Office Rentable Area Square Footage Other Certified Rentable Area Square Footage (where applicable) such as lab space, retail space, other mixed or multi-use areas). Year Constructed or Open	
0.1 Describe the following:	
Building Description: Provide a summary of the physical description of the building(s), property, and location. Include details on the mixed-use or public assembly component including ratio for each use . Describe what brings visitors to the property and how the use adds value to the property.	
Maximum of 350 words	
Attach the following:	

	OBY Inspection Verification Form provided by local BOMA association and signed by	
a local		
	TOBY judge.	
1		
0.3 Att	ach the following photographs of your building(s):	
	2 Exterior of the building(s) (front & rear)	
	1 Interior (lobby and hallways)	
	2 Mixed/Multiple Use Areas	
	1 Standard tenant area (Mixed-use and Public Assembly – up to 3)	
	1 Central plant or main mechanical room (chiller, fire pump or boiler room)	
f.	2 Additional photographs, the subject matter of which is the entrant's choice	
0.4 - A	ttach the following Awards Ceremony Photographs:	
_	la selection de des serves stitions de stars, all region al and ladamentique l'antenada accest	
а.	In addition to the competition photos, all regional and International entrants must	
	upload one high-resolution (minimum 300 dpi, 1,500 pixels wide or larger) color JPEG	
6	(JPG) of the building's exterior for display at the awards ceremonies.	
D.	Also, a photograph (JPEG) of the management team (minimum 300 dpi, 750 pixels	
	wide or larger) responsible for daily management of the building(s) is required.	
Total	of a standard required. Up to 11 allowed	
	of 9 attachments required – Up to 11 allowed	
000		~
	TION 1: BUILDING OPERATIONS & MANAGEMENT	5
	ecti <mark>on</mark> is <mark>de</mark> sig <mark>ned to provide the reader with</mark> a <mark>n ov</mark> erview of the building(s) and property	
sinc <mark>e t</mark> l	he <mark>jud</mark> gin <mark>g</mark> at the re <mark>gional and international level d</mark> oes not include a physical inspection	
	building(s) and property.	
1.1 De	scr <mark>ib</mark> e t <mark>he</mark> following:	
	Number of Public Entrances and their physical characteristics	
b.	C <mark>om</mark> mon Area Standard Finishes	
b. c.	Common Area Standard Finishes Restroom Standard Finishes	
b. c. d.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities	
b. c. d. e.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution	
b. c. d. e. f.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc.	
b. c. d. e. f. g.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System	
b. c. d. e. f. g. h.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems	
b. c. d. e. f. g.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas	
b. c. d. e. f. g. h. i. j.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking	
b. c. d. e. f. g. h. i. j.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power	
b. c. d. e. f. g. h. i. j. k. l.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding	
b. c. d. e. f. g. h. i. j. k. l.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power	
b. c. d. e. f. g. h. i. j. k. I. m.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable	
b. c. d. e. f. g. h. i. j. k. l. m.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding	
b. c. d. e. f. g. h. i. j. k. I. m. Maxim	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable	
b. c. d. e. f. g. h. i. j. k. I. m. Maxim	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable	
b. c. d. e. f. g. h. i. j. k. I. m. Maxim	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable um of 2,000 words ach the following:	
b. c. d. e. f. g. h. i. j. k. I. m. Maxim	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable um of 2,000 words ach the following: Full Floor plan for your building showing your main lobby (office component) as well	
b. c. d. e. f. g. h. i. j. k. l. m. Maxim 1.2 Att	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable um of 2,000 words ach the following: Full Floor plan for your building showing your main lobby (office component) as well as two additional typical floor plans (one office and one non-office type space.)	
b. c. d. e. f. g. h. i. j. k. l. m. Maxim 1.2 Att	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable um of 2,000 words ach the following: Full Floor plan for your building showing your main lobby (office component) as well as two additional typical floor plans (one office and one non-office type space.) Site plan or an aerial photograph. Aerial photograph should show the building(s) and	
b. c. d. e. f. g. h. i. j. k. l. m. Maxim 1.2 Att	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable <i>um of 2,000 words</i> ach the following: Full Floor plan for your building showing your main lobby (office component) as well as two additional typical floor plans (one office and one non-office type space.) Site plan or an aerial photograph. Aerial photograph should show the building(s) and property/boundary lines.	
b. c. d. e. f. g. h. i. j. k. l. m. Maxim 1.2 Att	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable um of 2,000 words ach the following: Full Floor plan for your building showing your main lobby (office component) as well as two additional typical floor plans (one office and one non-office type space.) Site plan or an aerial photograph. Aerial photograph should show the building(s) and property/boundary lines. Documentation of BOMA floor measurement standard–type used or calculations	
b. c. d. e. f. g. h. i. j. k. I. m. Maxim 1.2 Att a. b.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable <i>um of 2,000 words</i> ach the following: Full Floor plan for your building showing your main lobby (office component) as well as two additional typical floor plans (one office and one non-office type space.) Site plan or an aerial photograph. Aerial photograph should show the building(s) and property/boundary lines.	
b. c. d. e. f. g. h. i. j. k. I. m. Maxim 1.2 Att a. b.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable um of 2,000 words ach the following: Full Floor plan for your building showing your main lobby (office component) as well as two additional typical floor plans (one office and one non-office type space.) Site plan or an aerial photograph. Aerial photograph should show the building(s) and property/boundary lines. Documentation of BOMA floor measurement standard–type used or calculations	
b. c. d. e. f. g. h. i. j. k. l. m. Maxim 1.2 Att a. b. c.	Common Area Standard Finishes Restroom Standard Finishes Customer Service/Concierge Facilities Utility Distribution Elevators and/or Escalators and/or Moving Walks, Lifts, etc. HVAC Distribution System Fire Life Safety Systems Loading Dock & Back of House Tenant Receiving Areas Parking Emergency Generator/Back up Power Signage and Wayfinding Multiple Uses (where applicable um of 2,000 words ach the following: Full Floor plan for your building showing your main lobby (office component) as well as two additional typical floor plans (one office and one non-office type space.) Site plan or an aerial photograph. Aerial photograph should show the building(s) and property/boundary lines. Documentation of BOMA floor measurement standard-type used or calculations referencing the BOMA office standard. If not using BOMA standard, please list which	

Note : Please combine multiple documents into a single attachment if necessary.	
Total of 3 attachments required - Up to 4 attachments allowed	
SECTION 2: LIFE SAFETY/SECURITY/RISK MANAGEMENT	15
Describe the following:	
 2.1 - Describe procedures and programs for life safety, fire, and disaster preparedness. Separate for each section. Include Training for property management, staff, and tenants, for each life safety policy, as well as recovery procedures. If you work with local first responders and conduct live training, explain how this is accomplished. Summarize your business continuity plan and if drills are conducted, how they are documented and communicated. 	
 2.2 - Describe policies and procedures for security standards. Include training for security standards for property management, staff, and tenants. 	
2.3 - Expl <mark>ain how</mark> the building monitors activities in common areas.	
2.4 - Explain how the building controls entry into the building, especially during non- business/non-peak hour.	
Maximum of 2,000 words	
SECTION 3: TRAINING AND EDUCATION	15
NOTE : Training for building personnel can be in person or virtually. Delivery options include face-to-face, virtual online courses, in-house training, classroom instruction, or staff meetings. Participation in BOMA-sponsored training (in-person and virtual can also be considered).	
Describe the following for EACH team member:	
3.1 - On-going training programs for building personnel including seminars, in-house training, and continuing education completed as well as designations, participation in professional organizations, and team building and how this is managed for all personnel. Detail prior year and current year training, plus future plans.	
3.2 - Management team participation in BOMA-sponsored (local, regional, or international) events or international affiliate-sponsored events within the last 12 months (if applicable).	
3.3 - Training for both on-site and off-site building personnel dedicated to the property.	
3.4 - List of any management team industry certifications, degrees, or industry training.	
3.5 - Describe team building activities which may include staff meetings, joint education, BOMA events, other events, etc.	
Maximum of 1,800 words	
Attach the following:	
3.6 - Organization Chart of property personnel.	

Total of 1 attachment required	
SECTION 4: ENERGY	20
IMPORTANT: All Entrants from all countries (where applicable) are required to utilize the ENERGY STAR® Portfolio Manager to measure their current rating in ENERGY STAR® and provide the Statement of Energy Performance report generated within the last 12 months from ENERGY STAR® (stamped by a verifying engineer IF THE SCORE IS 75 OR GREATER.)	
Canadian Entrants must also provide the BOMA BEST certificate or letter. Any entrant that does not complete this step will not be eligible to compete at the Regional or International Level.	
If the SEP is not signed and stamped, entrant will only receive 3 points.	
Complete the following:	
4.1. Benchmarking and Performance Rating (6 Points)	
ENERGY STAR Score Entrants will also be scored based on their ENERGY STAR SEP generated within the last 12 months:	
NOTE: Verifying engineer's signature and stamp is required for scores 75 or greater SEP's without stamps will receive 3 points regardless of score shown on SEP.	
*For multiple buildings, use weighted average by square footage and provide analysis for the score.	
Describe the following:	
4.2 - Describe ENERGY STAR score and efforts to increase the score, both historic and future. (3 Points)	
 4.3 - Building Staff/Tenant Education (2 Points) Describe any programs in place to educate building operations staff, property managers, engineers, leasing agents, and other personnel such as tenants about the importance of and methods for conservation. Building staff/tenant education can be conducted virtually via online courses rather than by in-house training, classroom training, or staff meetings. This may include encouraging or requiring participation in the BOMA Energy Efficiency Program, ENERGY STAR® training sessions, BOMA BEST Practices, pursuing industry certification and professional development programs. 	
 4.4 - Building Operations and Maintenance (3 Points) a. Describe your building maintenance procedures and how they contribute to energy conservation. This should include the following as well as any additional procedures followed: i. Preventative maintenance programs ii. System documentation including reporting, annual testing results, etc. iii. Equipment and system performance monitoring 	

iv. Sensor and control calibration	
 4.5 - Energy Performance Results (3 Points) a. Describe the steps taken to improve the energy performance of your building over the last three years. 	
 4.6 - Building EMS Monitoring (3 Points) a. Describe the Energy Management System (EMS) in place in your building and the degree to which you use it to reduce the building's energy consumption. Provide measurable results demonstrating reduction in energy and improved performance. 	
Maximum of 2,000 words	
 4.7 Attach the following: a. 1 ENERGY STAR Statement of Energy Performance (SEP) – Must be an official ENERGY STAR SEP, failure to provide will result in disqualification. THE SEP must be stamped by an engineer if the score is greater than 75. b. Canadian Entrants must also provide the BOMA BEST certificate or letter c. Charts or graphs outlining results. (Optional) 1 attachment required; 2 attachments for Canadian Entrants; 1 Optional attachment 	
SECTION 5: ENVIRONMENTAL/SUSTAINABILITY/HEALTH & WELLNESS	15
Describe the following:	
5.1 Environmental (1 Pointe)	
 5.1 Environmental (4 Points) a. Describe the policies and procedures in place at the building. This may include accessibility for people with disabilities, indoor air quality management and testing, storage tank management, generator testing and management, hazardous waste management, asbestos management, refrigerant management and legionella testing and management, emergency clean up, blood-borne pathogen program, pandemic preparedness, and tenant environmental management and compliance. b. Provide the building's exterior maintenance plan, including recaulking, window washing, pressure washing, etc., green programs affecting IAQ and/or any other environmental management programs. c. Include any additional environmental and regulatory policies and procedures not mentioned above that are being followed. 	
 5.2 Sustainability (3 Points) Describe the policies and procedures in place at the building. This may include storm water management, green friendly landscape management, integrated pest control management, green cleaning, green purchasing policy, exterior building maintenance management plan, waste management and recycling, lamp disposal, water reduction and management and traffic reduction initiatives. Please include any additional sustainable policies and procedures not mentioned above that are being followed. 	
5.3 Waste (4 Points)	
 a. Describe your building's waste reduction management work plan and source separation program. b. When applicable include: Collection of organic waste Collection of recycled paper, metal cans, glass, plastic containers, and 	
cardboard, lamp recycling, plus any other recyclables	

	 iv. Educational training for occupants, custodians, and general public. v. Organizational statement for continuous improvement in the reduction and diversion of waste streams vi. Address the prevention, diversion, and management of solid waste generated as a result of day-to-day activities and infrequent events. vii. Future plans to increase recycling levels, including organics composting to reduce the waste generated. 	
5 4 U a	alth 8 Mallacco (4 Dainta)	
э.4 пе а.	alth & Wellness (4 Points) Describe policies implemented to create healthy work environments for employees	
G.	and tenants and to promote health in the community.	
b.	Describe wellness amenities available to one or all the stakeholders, such as rest	
	areas, access to outdoor spaces, drinking water provisions, walking trails, fitness areas, immunization clinics, access to farmers markets, shared gardens, etc.	
C.		
	such as daylight levels, lighting controls, glare controls, user comfort controls,	
Ь	s <mark>mo</mark> king policy, acoustic conditions, etc. Describe your pandemic plan. Examples include hand hygiene standards, health	
u.	promotion signage, infectious disease plan response guidelines, contagious disease	
	outbreak preparedness plan, enhanced cleaning, disinfecting and maintenance	
	protocol, PPE Guidelines, etc.	
Maxim	num of 3,000 words	
	TION 6: TENANT/OCCUPANT RELATIONS & COMMUNITY	30
INVC	DLVEMENT	
	: Entrants should focus on amenities made available to the community as a result of the ty and describe amenities open to the public to utilize. Demonstrate the building	
proper	: Entrants should focus on amenities made available to the community as a result of the ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment.	
proper manag	ty and describe amenities open to the public to utilize. Demonstrate the building	
proper manag Descri	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following:	
proper manag Descri	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points)	
propert manag Descri 6.1 Ter a.	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months.	
propert manag Descri 6.1 Ter a.	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation	
propert manag Descri 6.1 Ter a.	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems.	
proper manag Descri 6.1 Ter a. b.	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems. Tenant amenities available such as health facilities, childcare, and food service. Indicate if tenant satisfaction surveys were conducted including the frequency and the	
proper manag Descri 6.1 Ter a. b. c.	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems. Tenant amenities available such as health facilities, childcare, and food service. Indicate if tenant satisfaction surveys were conducted including the frequency and the date the last survey was last completed and actions management took to share	
proper manag Descri 6.1 Ter a. b. c. d.	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems. Tenant amenities available such as health facilities, childcare, and food service. Indicate if tenant satisfaction surveys were conducted including the frequency and the date the last survey was last completed and actions management took to share results and alleviate concerns and/or problems.	
b. 6.1 Ter a. b. c. d. 6.2 Co	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems. Tenant amenities available such as health facilities, childcare, and food service. Indicate if tenant satisfaction surveys were conducted including the frequency and the date the last survey was last completed and actions management took to share results and alleviate concerns and/or problems.	
proper manag Descri 6.1 Ter a. b. c. d.	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems. Tenant amenities available such as health facilities, childcare, and food service. Indicate if tenant satisfaction surveys were conducted including the frequency and the date the last survey was last completed and actions management took to share results and alleviate concerns and/or problems.	
b. 6.1 Ter a. b. c. d. 6.2 Co	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems. Tenant amenities available such as health facilities, childcare, and food service. Indicate if tenant satisfaction surveys were conducted including the frequency and the date the last survey was last completed and actions management took to share results and alleviate concerns and/or problems.	
b. 6.1 Ter a. b. c. d. 6.2 Co	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems. Tenant amenities available such as health facilities, childcare, and food service. Indicate if tenant satisfaction surveys were conducted including the frequency and the date the last survey was last completed and actions management took to share results and alleviate concerns and/or problems.	
b. 6.1 Ter a. b. c. d. 6.2 Co	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems. Tenant amenities available such as health facilities, childcare, and food service. Indicate if tenant satisfaction surveys were conducted including the frequency and the date the last survey was last completed and actions management took to share results and alleviate concerns and/or problems. ormunity Involvement (15 Points) The building management's impact on the community. For example, jobs provided (as a direct result of the building's existence), amenities to the community or the corporate environment (parks, blood drives, special events, etc.), health and wellness initiatives, tax impact (provide special assessments for roads, sewers, etc.), recognition awards, letters and roads, and other transportation improvements. If the	
b. 6.1 Ter a. b. c. d. 6.2 Co	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems. Tenant amenities available such as health facilities, childcare, and food service. Indicate if tenant satisfaction surveys were conducted including the frequency and the date the last survey was last completed and actions management took to share results and alleviate concerns and/or problems. Demunity Involvement (15 Points) The building management's impact on the community. For example, jobs provided (as a direct result of the building's existence), amenities to the community or the corporate environment (parks, blood drives, special events, etc.), health and wellness initiatives, tax impact (provide special assessments for roads, sewers, etc.), recognition awards, letters and roads, and other transportation improvements. If the impact can be quantified as additional income for the community or charitable event	
b. 6.1 Ter a. b. c. d. 6.2 Co	ty and describe amenities open to the public to utilize. Demonstrate the building gement or staff participation in community involvement and enrichment. ibe the following: nant and Occupant Relations (15 Points) Tenant Relations efforts and/or programs sponsored by building management within the last 12 months. The building's work management system for responding to tenant maintenance issues, as well as any ongoing programs for informing tenants of building operation problems. Tenant amenities available such as health facilities, childcare, and food service. Indicate if tenant satisfaction surveys were conducted including the frequency and the date the last survey was last completed and actions management took to share results and alleviate concerns and/or problems. ormunity Involvement (15 Points) The building management's impact on the community. For example, jobs provided (as a direct result of the building's existence), amenities to the community or the corporate environment (parks, blood drives, special events, etc.), health and wellness initiatives, tax impact (provide special assessments for roads, sewers, etc.), recognition awards, letters and roads, and other transportation improvements. If the	

b.	Describe how the building management's efforts in this area have helped make the
	property a benefit to the local community. Only include corporate donations/activities if
	the entrance can describe how the onsite management team personally participated
	or how it affected the property.
C.	
	correspondence with elected officials and/or regulatory agencies on matters of
	industry importance. Activities must be within the past 12 months. Include the date of
	the activity.
d.	Describe building-sponsored issues forum or town-hall-type meetings at the property
	within the past 12 months and at least one (1) planned or unplanned event in
	cooperation with municipal departments, such as the police department, fire
	department, special improvement districts, and public works. Include the date of the
	activity.
Maxim	um of 4,000 words
63 44	ach the following:
0.5 All	
а	3 Appreciation letters from the tenant or public
b.	2 Newsletters
C.	1 Copy of tenant/occupant survey (<i>if applicable</i>).
d.	1 Tenant communications piece from the property management team
e.	3 Photographs reflecting the tenant events being described.
f.	1 Table of contents from the tenant manual. (Do not include the entire manual or
	p <mark>hot</mark> ograph collages—only single images.)
g.	3 Attachments reflecting the community events being described such as posters,
	fl <mark>yer</mark> s, newsletters, and charity acknowledgement letters. <i>(Optional)</i>
Total of	of 10 attachments required - 4 optional - TOTAL 14 attachments

Star of To attachments required - 4 optional - TOTAL 14 attachments

SUBMITTED CONTENT

* * * * * END OF APPLICATION * * * *

Building Registration Information and the Building Description may be used in Awards Program materials and with the media. Photographs may be used, with attribution, in Awards Program materials, with the media and in other BOMA International materials. All other content may be used by BOMA International in the creation of new industry materials. BOMA International will not include identifying information, such as building name, owner, etc., in these materials without the entrant's consent.

Building Owners and Managers Association (BOMA) International

The Building Owners and Managers Association (BOMA) International is a federation of 87 BOMA U.S. associations and 18 BOMA International affiliates. Founded in 1907, BOMA represents the owners and managers of all commercial property types including nearly 10 billion square feet of U.S. office space that supports 3.7 million jobs and contributes \$205 billion to the U.S. GDP. Its mission is to advance the interests of the entire commercial real estate industry through advocacy, education, research, standards and information. Find BOMA online at www.boma.org.

BOMA International • 1101 15th Street, NW, Suite 800 • Washington, DC 20005 • 202-326-6300 • https://recognition.boma.org



For information, questions, clarifications or if you require additional assistance, please email <u>recongition@boma.org</u>.

